


## CONDUIT SYSTEMS

<b>RIGID CONDUITS</b> .....	<b>Page 90</b>
Standard and sleeved conduit, standard and Halogen Free materials	
<b>PLIABLE CONDUITS</b> .....	<b>Page 92</b>
Pliable conduit, 2221, 3321 and 3341 type	
<b>POLYPROPYLENE PLIABLE CONDUITS</b> .....	<b>Page 94</b>
Pliable conduit, 2232 and 3422 type	
<b>FLEXIBLE SPIRAL CONDUITS</b> .....	<b>Page 95</b>
Flexible spiral conduits	



### MAIN CHARACTERISTICS

- Rigid and pliable conduit, flexible spiral conduit systems diameter from 12 up to 63 mm.
- Material: made of technopolymer on rigid PVC base, high resistance to UV rays.
- Standard colours: grey RAL 7035 and Black.
- Self-extinguishing V0 degree to UL94.
- Resistance to abnormal heat: up to 960°C (Glow Wire Test, IEC 695-2-1 standard).
- Made in compliance with EN 61386-1 and EN 61386-21-22-23 standards.

## RIGID CONDUIT SYSTEMS AND ACCESSORIES



### RIGID CONDUIT CLASSIFICATION 3321 IN 3 MT BARS TG15 SERIES

Article	Description	UM	Bundle Minipallet
<b>ECTG1516</b>	Rigid conduit external diameter 16 mm - L=3 mt	MT	102/3162
<b>ECTG1520</b>	Rigid conduit external diameter 20 mm - L=3 mt	MT	102/2040
<b>ECTG1525</b>	Rigid conduit external diameter 25 mm - L=3 mt	MT	60/1440
<b>ECTG1532</b>	Rigid conduit external diameter 32 mm - L=3 mt	MT	30/840
<b>ECTG1540</b>	Rigid conduit external diameter 40 mm - L=3 mt	MT	30/540
<b>ECTG1550</b>	Rigid conduit external diameter 50 mm - L=3 mt	MT	15/360
<b>ECTG1563</b>	Rigid conduit external diameter 63 mm - L=3 mt	MT	180



### RIGID CONDUIT CLASSIFICATION 3321 IN 2 MT BARS TG15 SERIES

Article	Description	UM	Bundle Minipallet
<b>ECTG1516-2</b>	Rigid conduit external diameter 16 mm - L=2 mt	MT	68/2108
<b>ECTG1520-2</b>	Rigid conduit external diameter 20 mm - L=2 mt	MT	68/1360
<b>ECTG1525-2</b>	Rigid conduit external diameter 25 mm - L=2 mt	MT	40/960
<b>ECTG1532-2</b>	Rigid conduit external diameter 32 mm - L=2 mt	MT	20/560
<b>ECTG1540-2</b>	Rigid conduit external diameter 40 mm - L=2 mt	MT	20/360
<b>ECTG1550-2</b>	Rigid conduit external diameter 50 mm - L=2 mt	MT	10/240



RIGID CONDUIT CLASSIFICATION 3321 WITH SLEEVE IN 3 MT BARS			TG15 SERIES	
Article		Description	UM	Bundle Minipallet
ECTG1516B		Rigid conduit with sleeve external diameter 16 mm - L=3 mt	MT	75/3000
ECTG1520B		Rigid conduit with sleeve external diameter 20 mm - L=3 mt	MT	51/2040
ECTG1525B		Rigid conduit with sleeve external diameter 25 mm - L=3 mt	MT	51/1428
ECTG1532B		Rigid conduit with sleeve external diameter 32 mm - L=3 mt	MT	30/840
ECTG1540B		Rigid conduit with sleeve external diameter 40 mm - L=3 mt	MT	21/420
ECTG1550B		Rigid conduit with sleeve external diameter 50 mm - L=3 mt	MT	15/315
ECTG1563B		Rigid conduit with sleeve external diameter 63 mm - L=3 mt	MT	180



RIGID CONDUIT CLASSIFICATION 3321 WITH SLEEVE IN 2 MT BARS			TG15 SERIES	
Article		Description	UM	Bundle Minipallet
ECTG1516B-2		Rigid conduit with sleeve external diameter 16 mm - L=2 mt	MT	50/2000
ECTG1520B-2		Rigid conduit with sleeve external diameter 20 mm - L=2 mt	MT	34/1360
ECTG1525B-2		Rigid conduit with sleeve external diameter 25 mm - L=2 mt	MT	34/952
ECTG1532B-2		Rigid conduit with sleeve external diameter 32 mm - L=2 mt	MT	20/560
ECTG1540B-2		Rigid conduit with sleeve external diameter 40 mm - L=2 mt	MT	14/280
ECTG1550B-2		Rigid conduit with sleeve external diameter 50 mm - L=2 mt	MT	10/210



RIGID CONDUIT CLASSIFICATION 2221 IN 3 MT BARS			TG12 SERIES	
Article		Description	UM	Bundle Minipallet
ECTG1216		Rigid conduit external diameter 16 mm - L=3 mt	MT	102/3162
ECTG1220		Rigid conduit external diameter 20 mm - L=3 mt	MT	102/2040
ECTG1225		Rigid conduit external diameter 25 mm - L=3 mt	MT	60/1440
ECTG1232		Rigid conduit external diameter 32 mm - L=3 mt	MT	30/840
ECTG1240		Rigid conduit external diameter 40 mm - L=3 mt	MT	30/540
ECTG1250		Rigid conduit external diameter 50 mm - L=3 mt	MT	15/360



RIGID CONDUIT CLASSIFICATION 2221 IN 2 MT BARS			TG12 SERIES	
Article		Description	UM	Bundle Minipallet
ECTG1216-2		Rigid conduit external diameter 16 mm - L=2 mt	MT	68/2108
ECTG1220-2		Rigid conduit external diameter 20 mm - L=2 mt	MT	68/1360
ECTG1225-2		Rigid conduit external diameter 25 mm - L=2 mt	MT	40/960
ECTG1232-2		Rigid conduit external diameter 32 mm - L=2 mt	MT	20/560
ECTG1240-2		Rigid conduit external diameter 40 mm - L=2 mt	MT	20/360
ECTG1250-2		Rigid conduit external diameter 50 mm - L=2 mt	MT	10/240



RIGID CONDUIT CLASSIFICATION 2221 WITH SLEEVE IN 3 MT BARS			TG12 SERIES	
Article		Description	UM	Bundle Minipallet
ECTG1216B		Rigid conduit with sleeve external diameter 16 mm - L=3 mt	MT	102/3162
ECTG1220B		Rigid conduit with sleeve external diameter 20 mm - L=3 mt	MT	102/2040
ECTG1225B		Rigid conduit with sleeve external diameter 25 mm - L=3 mt	MT	60/1440
ECTG1232B		Rigid conduit with sleeve external diameter 32 mm - L=3 mt	MT	30/840
ECTG1240B		Rigid conduit with sleeve external diameter 40 mm - L=3 mt	MT	30/540
ECTG1250B		Rigid conduit with sleeve external diameter 50 mm - L=3 mt	MT	15/360



RIGID CONDUIT CLASSIFICATION 2221 WITH SLEEVE IN 2 MT BARS			TG12 SERIES	
Article		Description	UM	Bundle Minipallet
ECTG1216B-2		Rigid conduit with sleeve external diameter 16 mm - L=2 mt	MT	68/2108
ECTG1220B-2		Rigid conduit with sleeve external diameter 20 mm - L=2 mt	MT	68/1360
ECTG1225B-2		Rigid conduit with sleeve external diameter 25 mm - L=2 mt	MT	40/960
ECTG1232B-2		Rigid conduit with sleeve external diameter 32 mm - L=2 mt	MT	20/560
ECTG1240B-2		Rigid conduit with sleeve external diameter 40 mm - L=2 mt	MT	20/360
ECTG1250B-2		Rigid conduit with sleeve external diameter 50 mm - L=2 mt	MT	10/240

## CONDUIT SYSTEMS



HALOGEN  
Free

### HALOGEN FREE RIGID CONDUIT CLASSIFICATION 3342 IN 3 MT BARS TG21 SERIES

Article	Description	UM	Bundle Minipallet
ECTG2116	Rigid conduit external diameter 16 mm - L=3 mt	MT	102/3162
ECTG2120	Rigid conduit external diameter 20 mm - L=3 mt	MT	102/2040
ECTG2125	Rigid conduit external diameter 25 mm - L=3 mt	MT	60/1440
ECTG2132	Rigid conduit external diameter 32 mm - L=3 mt	MT	30/840
ECTG2140	Rigid conduit external diameter 40 mm - L=3 mt	MT	30/540
ECTG2150	Rigid conduit external diameter 50 mm - L=3 mt	MT	15/360



HALOGEN  
Free

### HALOGEN FREE RIGID CONDUIT CLASSIFICATION 2342 WITH SLEEVE IN 3 MT BARS TG20 SERIES

Article	Description	UM	Bundle Minipallet
ECTG2016B	Rigid conduit with sleeve external diameter 16 mm - L=3 mt	MT	102/3162
ECTG2020B	Rigid conduit with sleeve external diameter 20 mm - L=3 mt	MT	102/2040
ECTG2025B	Rigid conduit with sleeve external diameter 25 mm - L=3 mt	MT	60/1440
ECTG2032B	Rigid conduit with sleeve external diameter 32 mm - L=3 mt	MT	30/840
ECTG2040B	Rigid conduit with sleeve external diameter 40 mm - L=3 mt	MT	30/540
ECTG2050B	Rigid conduit with sleeve external diameter 50 mm - L=3 mt	MT	15/360

## PLIABLE CONDUIT SYSTEMS



### PLIABLE CONDUIT CLASSIFICATION 3321 - BLACK TC15 SERIES

Article	Description	UM	Coil length Pallet
ECTC1516	Pliable conduit external diameter 16 mm - 100 mt	MT	100/5800
ECTC151650	Pliable conduit external diameter 16 mm - 50 mt	MT	50/5400
ECTC1520	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECTC152050	Pliable conduit external diameter 20 mm - 50 mt	MT	50/5400
ECTC1525	Pliable conduit external diameter 25 mm - 50 mt	MT	50/3000
ECTC1532	Pliable conduit external diameter 32 mm - 25 mt	MT	25/1500
ECTC1540	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1200
ECTC1550	Pliable conduit external diameter 50 mm - 25 mt	MT	25/750

### PLIABLE CONDUIT CLASSIFICATION 3321 - BLACK - COIL LENGTH 25 MT TC15 SERIES

Article	Description	UM	Packaging
ECTC151625	Pliable conduit external diameter 16 mm - Coil length 25 mt	PCS	1
ECTC152025	Pliable conduit external diameter 20 mm - Coil length 25 mt	PCS	1
ECTC152525	Pliable conduit external diameter 25 mm - Coil length 25 mt	PCS	1



### PLIABLE CONDUIT CLASSIFICATION 3321 - BLACK - COIL LENGTH 10 MT TC15 SERIES

Article	Description	UM	Packaging
ECTC151610	Pliable conduit external diameter 16 mm - Coil length 10 mt	PCS	1
ECTC152010	Pliable conduit external diameter 20 mm - Coil length 10 mt	PCS	1
ECTC152510	Pliable conduit external diameter 25 mm - Coil length 10 mt	PCS	1

Available with draw tape on request. Add the letter "T" to the item code.

## PLIABLE CONDUIT SYSTEMS

## PLIABLE CONDUIT CLASSIFICATION 3341 - GREY RAL 7030 TC18 SERIES

Article	Description	UM	Coil length/ Pallet
ECTC1816	Pliable conduit external diameter 16 mm - 100 mt	MT	100/6400
ECTC181650	Pliable conduit external diameter 16 mm - 50 mt	MT	50/4800
ECTC1820	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECTC182050	Pliable conduit external diameter 20 mm - 50 mt	MT	50/3300
ECTC1825	Pliable conduit external diameter 25 mm - 50 mt	MT	50/2800
ECTC1825100	Pliable conduit external diameter 25 mm - 100 mt	MT	100/3600
ECTC1832	Pliable conduit external diameter 32 mm - 25 mt	MT	25/1500
ECTC183250	Pliable conduit external diameter 32 mm - 50 mt	MT	50/1600
ECTC1840	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1000
ECTC1850	Pliable conduit external diameter 50 mm - 25 mt	MT	25/800

## PLIABLE CONDUIT CLASSIFICATION 3341 - GREY RAL 7030 - COIL LENGTH 25 MT TC18 SERIES

Article	Description	UM	Packaging
ECTC181625	Pliable conduit external diameter 16 mm - Coil length 25 mt	PCS	1
ECTC182025	Pliable conduit external diameter 20 mm - Coil length 25 mt	PCS	1
ECTC182525	Pliable conduit external diameter 25 mm - Coil length 25 mt	PCS	1

## PLIABLE CONDUIT CLASSIFICATION 3341 - GREY RAL 7030 - COIL LENGTH 10 MT TC18 SERIES

Article	Description	UM	Packaging
ECTC181610	Pliable conduit external diameter 16 mm - Coil length 10 mt	PCS	1
ECTC182010	Pliable conduit external diameter 20 mm - Coil length 10 mt	PCS	1
ECTC182510	Pliable conduit external diameter 25 mm - Coil length 10 mt	PCS	1

## PLIABLE CONDUIT CLASSIFICATION 2221 - GREY RAL 7035 TC12 SERIES

Article	Description	UM	Coil length Pallet
ECTC1216	Pliable conduit external diameter 16 mm - 100 mt	MT	100/6400
ECTC121650	Pliable conduit external diameter 16 mm - 50 mt	MT	50/4800
ECTC1220	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECTC122050	Pliable conduit external diameter 20 mm - 50 mt	MT	50/3300
ECTC1225	Pliable conduit external diameter 25 mm - 50 mt	MT	50/2800
ECTC1225100	Pliable conduit external diameter 25 mm - 100 mt	MT	100/3600
ECTC1232	Pliable conduit external diameter 32 mm - 25 mt	MT	25/1500
ECTC123250	Pliable conduit external diameter 32 mm - 50 mt	MT	50/1600
ECTC1240	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1000
ECTC1250	Pliable conduit external diameter 50 mm - 25 mt	MT	25/800

## PLIABLE CONDUIT CLASSIFICATION 2221 - GREY RAL 7035 - COIL LENGTH 25 MT TC12 SERIES

Article	Description	UM	Packaging
ECTC121625	Pliable conduit external diameter 16 mm - Coil length 25 mt	PCS	1
ECTC122025	Pliable conduit external diameter 20 mm - Coil length 25 mt	PCS	1
ECTC122525	Pliable conduit external diameter 25 mm - Coil length 25 mt	PCS	1

## PLIABLE CONDUIT CLASSIFICATION 2221 - GREY RAL 7035 - COIL LENGTH 10 MT TC12 SERIES

Article	Description	UM	Packaging
ECTC121610	Pliable conduit external diameter 16 mm - Coil length 10 mt	PCS	1
ECTC122010	Pliable conduit external diameter 20 mm - Coil length 10 mt	PCS	1
ECTC122510	Pliable conduit external diameter 25 mm - Coil length 10 mt	PCS	1

Available with draw tape on request. Add the letter "T" to the item code.

### PLIABLE POLYPROPYLENE CONDUIT SYSTEMS - HALOGEN FREE



#### PLIABLE POLYPROPYLENE CONDUIT CLASSIFICATION 2232 - ORANGE TP12 SERIES

Article	Description	UM	Coil length Pallet
ECTP1216	Pliable conduit external diameter 16 mm - 100 mt	MT	100/7000
ECTP1220	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECTP1225	Pliable conduit external diameter 25 mm - 50 mt	MT	50/3000
ECTP1232	Pliable conduit external diameter 32 mm 25 mt	MT	25/1600
ECTP1240	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1000
ECTP1250	Pliable conduit external diameter 50 mm - 25 mt	MT	25/800

#### PLIABLE POLYPROPYLENE CONDUIT CLASSIFICATION 3422 - ORANGE TP15 SERIES



Article	Description	UM	Coil length Pallet
ECTP1516	Pliable conduit external diameter 16 mm - 100 mt	MT	100/7000
ECTP1520	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECTP1525	Pliable conduit external diameter 25 mm - 50 mt	MT	50/3000
ECTP1532	Pliable conduit external diameter 32 mm 25 mt	MT	25/1600
ECTP1540	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1000
ECTP1550	Pliable conduit external diameter 50 mm - 25 mt	MT	25/800


Available with draw tape on request. Add the letter "T" to the item code

### PLIABLE POLYPROPYLENE CONDUIT SYSTEMS - SELF-EXTINGUISHING V2 - LOW EMISSION OF HALOGENS - ICTA



#### PLIABLE POLYPROPYLENE CONDUIT CLASSIFICATION 3422 - ICTA - GREY - WITH DRAW TAPE ICTA SERIES

Article	Description	UM	Coil length Pallet
ECICTA16T	Pliable conduit external diameter 16 mm - 100 mt	MT	100/7000
ECICTA20T	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECICTA25T	Pliable conduit external diameter 25 mm - 100 mt	MT	100/3600
ECICTA32T	Pliable conduit external diameter 32 mm - 25 mt	MT	25/1800
ECICTA40T	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1000
ECICTA50T	Pliable conduit external diameter 50 mm - 25 mt	MT	25/800



#### PLIABLE POLYPROPYLENE CONDUIT CLASSIFICATION 3422 - ICTA - GREY - PRE-CABLED - H07-V-U ICTA SERIES

Article	Description	UM	Coil length Pallet
ECICTA163G15	Pliable conduit external diameter 16 mm - pre-cabled 3 G 1,5	MT	100/4000
ECICTA164G15	Pliable conduit external diameter 16 mm - pre-cabled 4 G 1,5	MT	100/4000
ECICTA165G15	Pliable conduit external diameter 16 mm - pre-cabled 5 G 1,5	MT	100/4000
ECICTA163G25	Pliable conduit external diameter 16 mm - pre-cabled 3 G 2,5	MT	100/4000
ECICTA162X15	Pliable conduit external diameter 16 mm - pre-cabled 2 X 1,5	MT	100/4000
ECICTA16VVT	Pliable conduit external diameter 16 mm - pre-cabled VVT	MT	100/4000
ECICTA203G15	Pliable conduit external diameter 20 mm - pre-cabled 3 G 1,5	MT	100/3200
ECICTA204G15	Pliable conduit external diameter 20 mm - pre-cabled 4 G 1,5	MT	100/3200
ECICTA205G15	Pliable conduit external diameter 20 mm - pre-cabled 5 G 1,5	MT	100/3200
ECICTA203G25	Pliable conduit external diameter 20 mm - pre-cabled 3 G 2,5	MT	100/3200
ECICTA205G25	Pliable conduit external diameter 20 mm - pre-cabled 5 G 2,5	MT	100/3200
ECICTA202X15	Pliable conduit external diameter 20 mm - pre-cabled 2 X 1,5	MT	100/3200

G=with ground conductor, X=without ground conductor, VVT=Telephone cable 1x4x0,6+T  
Other wire combinations on request

## FLEXIBLE SPIRAL CONDUIT AND ACCESSORIES

FLEXIBLE SPIRAL CONDUIT CLASSIFICATION 2311 - GREY RAL7035 GFE SERIES

Article	Description	UM	Coil length Pallet
ECGFE08	Flexible spiral conduit internal diameter 8 - external diameter 12,4 mm	MT	30/5400
ECGFE10	Flexible spiral conduit internal diameter 10 - external diameter 14,6 mm	MT	30/5400
ECGFE12	Flexible spiral conduit internal diameter 12 - external diameter 16,2 mm	MT	30/4590
ECGFE14	Flexible spiral conduit internal diameter 14 - external diameter 18,2 mm	MT	30/4050
ECGFE16	Flexible spiral conduit internal diameter 16 - external diameter 20,2 mm	MT	30/4050
ECGFE20	Flexible spiral conduit internal diameter 20 - external diameter 24,2 mm	MT	30/3360
ECGFE22	Flexible spiral conduit internal diameter 22 - external diameter 26,3 mm	MT	30/1800
ECGFE25	Flexible spiral conduit internal diameter 25 - external diameter 29,6 mm	MT	30/1800
ECGFE28	Flexible spiral conduit internal diameter 28 - external diameter 33,0 mm	MT	30/1650
ECGFE32	Flexible spiral conduit internal diameter 32 - external diameter 37,2 mm	MT	30/1440
ECGFE35	Flexible spiral conduit internal diameter 35 - external diameter 40,2 mm	MT	30/1200
ECGFE40	Flexible spiral conduit internal diameter 40 - external diameter 45,3 mm	MT	30/1200
ECGFE50	Flexible spiral conduit internal diameter 50 - external diameter 56,0 mm	MT	30/600
ECGFE60	Flexible spiral conduit internal diameter 60 - external diameter 66,4 mm	MT	30

FLEXIBLE SPIRAL CONDUIT CLASSIFICATION 2311 - BLACK GFE SERIES

Article	Description	UM	Coil length Pallet
ECGFE08N	Flexible spiral conduit internal diameter 8 - external diameter 12,4 mm	MT	30/5400
ECGFE10N	Flexible spiral conduit internal diameter 10 - external diameter 14,6 mm	MT	30/5400
ECGFE12N	Flexible spiral conduit internal diameter 12 - external diameter 16,2 mm	MT	30/4590
ECGFE14N	Flexible spiral conduit internal diameter 14 - external diameter 18,2 mm	MT	30/4050
ECGFE16N	Flexible spiral conduit internal diameter 16 - external diameter 20,2 mm	MT	30/4050
ECGFE20N	Flexible spiral conduit internal diameter 20 - external diameter 24,2 mm	MT	30/3360
ECGFE22N	Flexible spiral conduit internal diameter 22 - external diameter 26,3 mm	MT	30/1800
ECGFE25N	Flexible spiral conduit internal diameter 25 - external diameter 29,6 mm	MT	30/1800
ECGFE28N	Flexible spiral conduit internal diameter 28 - external diameter 33,0 mm	MT	30/1650
ECGFE32N	Flexible spiral conduit internal diameter 32 - external diameter 37,2 mm	MT	30/1440
ECGFE35N	Flexible spiral conduit internal diameter 35 - external diameter 40,2 mm	MT	30/1200
ECGFE40N	Flexible spiral conduit internal diameter 40 - external diameter 45,3 mm	MT	30/1200
ECGFE50N	Flexible spiral conduit internal diameter 50 - external diameter 56,0 mm	MT	30/600
ECGFE60N	Flexible spiral conduit internal diameter 60 - external diameter 66,4 mm	MT	30