

CONDUIT SYSTEMS

RIGID CONDUITS	Page 90
Standard and sleeved conduit, standard and Halogen Free materials	
PLIABLE CONDUITS	Page 92
Pliable conduit, 2221, 3321 and 3341 type	
POLYPROPYLENE PLIABLE CONDUITS	Page 94
Pliable conduit, 2232 and 3422 type	
FLEXIBLE SPIRAL CONDUITS	Page 95
Flexible spiral conduits	



MAIN CHARACTERISTICS

- Rigid and pliable conduit, flexible spiral conduit systems diameter from 12 up to 63 mm.
- Material: made of technopolymer on rigid PVC base, high resistance to UV rays.
- Standard colours: grey RAL 7035 and Black.
- Self-extinguishing V0 degree to UL94.
- Resistance to abnormal heat: up to 960°C (Glow Wire Test, IEC 695-2-1 standard).
- Made in compliance with EN 61386-1 and EN 61386-21-22-23 standards.

RIGID CONDUIT SYSTEMS AND ACCESSORIES



RIGID CONDUIT CLASSIFICATION 3321 IN 3 MT BARS TG15 SERIES

Article	Description	UM	Bundle Minipallet
ECTG1516	Rigid conduit external diameter 16 mm - L=3 mt	MT	102/3162
ECTG1520	Rigid conduit external diameter 20 mm - L=3 mt	MT	102/2040
ECTG1525	Rigid conduit external diameter 25 mm - L=3 mt	MT	60/1440
ECTG1532	Rigid conduit external diameter 32 mm - L=3 mt	MT	30/840
ECTG1540	Rigid conduit external diameter 40 mm - L=3 mt	MT	30/540
ECTG1550	Rigid conduit external diameter 50 mm - L=3 mt	MT	15/360
ECTG1563	Rigid conduit external diameter 63 mm - L=3 mt	MT	180



RIGID CONDUIT CLASSIFICATION 3321 IN 2 MT BARS TG15 SERIES

Article	Description	UM	Bundle Minipallet
ECTG1516-2	Rigid conduit external diameter 16 mm - L=2 mt	MT	68/2108
ECTG1520-2	Rigid conduit external diameter 20 mm - L=2 mt	MT	68/1360
ECTG1525-2	Rigid conduit external diameter 25 mm - L=2 mt	MT	40/960
ECTG1532-2	Rigid conduit external diameter 32 mm - L=2 mt	MT	20/560
ECTG1540-2	Rigid conduit external diameter 40 mm - L=2 mt	MT	20/360
ECTG1550-2	Rigid conduit external diameter 50 mm - L=2 mt	MT	10/240

**RIGID CONDUIT CLASSIFICATION 3321 WITH SLEEVE IN 3 MT BARS** **TG15 SERIES**

Article	Description	UM	Bundle Minipallet
ECTG1516B	Rigid conduit with sleeve external diameter 16 mm - L=3 mt	MT	75/3000
ECTG1520B	Rigid conduit with sleeve external diameter 20 mm - L=3 mt	MT	51/2040
ECTG1525B	Rigid conduit with sleeve external diameter 25 mm - L=3 mt	MT	51/1428
ECTG1532B	Rigid conduit with sleeve external diameter 32 mm - L=3 mt	MT	30/840
ECTG1540B	Rigid conduit with sleeve external diameter 40 mm - L=3 mt	MT	21/420
ECTG1550B	Rigid conduit with sleeve external diameter 50 mm - L=3 mt	MT	15/315
ECTG1563B	Rigid conduit with sleeve external diameter 63 mm - L=3 mt	MT	180

**RIGID CONDUIT CLASSIFICATION 3321 WITH SLEEVE IN 2 MT BARS** **TG15 SERIES**

Article	Description	UM	Bundle Minipallet
ECTG1516B-2	Rigid conduit with sleeve external diameter 16 mm - L=2 mt	MT	50/2000
ECTG1520B-2	Rigid conduit with sleeve external diameter 20 mm - L=2 mt	MT	34/1360
ECTG1525B-2	Rigid conduit with sleeve external diameter 25 mm - L=2 mt	MT	34/952
ECTG1532B-2	Rigid conduit with sleeve external diameter 32 mm - L=2 mt	MT	20/560
ECTG1540B-2	Rigid conduit with sleeve external diameter 40 mm - L=2 mt	MT	14/280
ECTG1550B-2	Rigid conduit with sleeve external diameter 50 mm - L=2 mt	MT	10/210

**RIGID CONDUIT CLASSIFICATION 2221 IN 3 MT BARS** **TG12 SERIES**

Article	Description	UM	Bundle Minipallet
ECTG1216	Rigid conduit external diameter 16 mm - L=3 mt	MT	102/3162
ECTG1220	Rigid conduit external diameter 20 mm - L=3 mt	MT	102/2040
ECTG1225	Rigid conduit external diameter 25 mm - L=3 mt	MT	60/1440
ECTG1232	Rigid conduit external diameter 32 mm - L=3 mt	MT	30/840
ECTG1240	Rigid conduit external diameter 40 mm - L=3 mt	MT	30/540
ECTG1250	Rigid conduit external diameter 50 mm - L=3 mt	MT	15/360

**RIGID CONDUIT CLASSIFICATION 2221 IN 2 MT BARS** **TG12 SERIES**

Article	Description	UM	Bundle Minipallet
ECTG1216-2	Rigid conduit external diameter 16 mm - L=2 mt	MT	68/2108
ECTG1220-2	Rigid conduit external diameter 20 mm - L=2 mt	MT	68/1360
ECTG1225-2	Rigid conduit external diameter 25 mm - L=2 mt	MT	40/960
ECTG1232-2	Rigid conduit external diameter 32 mm - L=2 mt	MT	20/560
ECTG1240-2	Rigid conduit external diameter 40 mm - L=2 mt	MT	20/360
ECTG1250-2	Rigid conduit external diameter 50 mm - L=2 mt	MT	10/240

**RIGID CONDUIT CLASSIFICATION 2221 WITH SLEEVE IN 3 MT BARS** **TG12 SERIES**

Article	Description	UM	Bundle Minipallet
ECTG1216B	Rigid conduit with sleeve external diameter 16 mm - L=3 mt	MT	102/3162
ECTG1220B	Rigid conduit with sleeve external diameter 20 mm - L=3 mt	MT	102/2040
ECTG1225B	Rigid conduit with sleeve external diameter 25 mm - L=3 mt	MT	60/1440
ECTG1232B	Rigid conduit with sleeve external diameter 32 mm - L=3 mt	MT	30/840
ECTG1240B	Rigid conduit with sleeve external diameter 40 mm - L=3 mt	MT	30/540
ECTG1250B	Rigid conduit with sleeve external diameter 50 mm - L=3 mt	MT	15/360

**RIGID CONDUIT CLASSIFICATION 2221 WITH SLEEVE IN 2 MT BARS** **TG12 SERIES**

Article	Description	UM	Bundle Minipallet
ECTG1216B-2	Rigid conduit with sleeve external diameter 16 mm - L=2 mt	MT	68/2108
ECTG1220B-2	Rigid conduit with sleeve external diameter 20 mm - L=2 mt	MT	68/1360
ECTG1225B-2	Rigid conduit with sleeve external diameter 25 mm - L=2 mt	MT	40/960
ECTG1232B-2	Rigid conduit with sleeve external diameter 32 mm - L=2 mt	MT	20/560
ECTG1240B-2	Rigid conduit with sleeve external diameter 40 mm - L=2 mt	MT	20/360
ECTG1250B-2	Rigid conduit with sleeve external diameter 50 mm - L=2 mt	MT	10/240

CONDUIT SYSTEMS



HALOGEN
Free

HALOGEN FREE RIGID CONDUIT CLASSIFICATION 3342 IN 3 MT BARS TG21 SERIES

Article	Description	UM	Bundle Minipallet
ECTG2116	Rigid conduit external diameter 16 mm - L=3 mt	MT	102/3162
ECTG2120	Rigid conduit external diameter 20 mm - L=3 mt	MT	102/2040
ECTG2125	Rigid conduit external diameter 25 mm - L=3 mt	MT	60/1440
ECTG2132	Rigid conduit external diameter 32 mm - L=3 mt	MT	30/840
ECTG2140	Rigid conduit external diameter 40 mm - L=3 mt	MT	30/540
ECTG2150	Rigid conduit external diameter 50 mm - L=3 mt	MT	15/360



HALOGEN
Free

HALOGEN FREE RIGID CONDUIT CLASSIFICATION 2342 WITH SLEEVE IN 3 MT BARS TG20 SERIES

Article	Description	UM	Bundle Minipallet
ECTG2016B	Rigid conduit with sleeve external diameter 16 mm - L=3 mt	MT	102/3162
ECTG2020B	Rigid conduit with sleeve external diameter 20 mm - L=3 mt	MT	102/2040
ECTG2025B	Rigid conduit with sleeve external diameter 25 mm - L=3 mt	MT	60/1440
ECTG2032B	Rigid conduit with sleeve external diameter 32 mm - L=3 mt	MT	30/840
ECTG2040B	Rigid conduit with sleeve external diameter 40 mm - L=3 mt	MT	30/540
ECTG2050B	Rigid conduit with sleeve external diameter 50 mm - L=3 mt	MT	15/360

PLIABLE CONDUIT SYSTEMS



PLIABLE CONDUIT CLASSIFICATION 3321 - BLACK TC15 SERIES

Article	Description	UM	Coil length Pallet
ECTC1516	Pliable conduit external diameter 16 mm - 100 mt	MT	100/5800
ECTC151650	Pliable conduit external diameter 16 mm - 50 mt	MT	50/5400
ECTC1520	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECTC152050	Pliable conduit external diameter 20 mm - 50 mt	MT	50/5400
ECTC1525	Pliable conduit external diameter 25 mm - 50 mt	MT	50/3000
ECTC1532	Pliable conduit external diameter 32 mm - 25 mt	MT	25/1500
ECTC1540	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1200
ECTC1550	Pliable conduit external diameter 50 mm - 25 mt	MT	25/750

PLIABLE CONDUIT CLASSIFICATION 3321 - BLACK - COIL LENGTH 25 MT TC15 SERIES

Article	Description	UM	Packaging
ECTC151625	Pliable conduit external diameter 16 mm - Coil length 25 mt	PCS	1
ECTC152025	Pliable conduit external diameter 20 mm - Coil length 25 mt	PCS	1
ECTC152525	Pliable conduit external diameter 25 mm - Coil length 25 mt	PCS	1



PLIABLE CONDUIT CLASSIFICATION 3321 - BLACK - COIL LENGTH 10 MT TC15 SERIES

Article	Description	UM	Packaging
ECTC151610	Pliable conduit external diameter 16 mm - Coil length 10 mt	PCS	1
ECTC152010	Pliable conduit external diameter 20 mm - Coil length 10 mt	PCS	1
ECTC152510	Pliable conduit external diameter 25 mm - Coil length 10 mt	PCS	1

Available with draw tape on request. Add the letter "T" to the item code.

PLIABLE CONDUIT SYSTEMS

PLIABLE CONDUIT CLASSIFICATION 3341 - GREY RAL 7030 TC18 SERIES

Article	Description	UM	Coil length/ Pallet
ECTC1816	Pliable conduit external diameter 16 mm - 100 mt	MT	100/6400
ECTC181650	Pliable conduit external diameter 16 mm - 50 mt	MT	50/4800
ECTC1820	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECTC182050	Pliable conduit external diameter 20 mm - 50 mt	MT	50/3300
ECTC1825	Pliable conduit external diameter 25 mm - 50 mt	MT	50/2800
ECTC1825100	Pliable conduit external diameter 25 mm - 100 mt	MT	100/3600
ECTC1832	Pliable conduit external diameter 32 mm - 25 mt	MT	25/1500
ECTC183250	Pliable conduit external diameter 32 mm - 50 mt	MT	50/1600
ECTC1840	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1000
ECTC1850	Pliable conduit external diameter 50 mm - 25 mt	MT	25/800

PLIABLE CONDUIT CLASSIFICATION 3341 - GREY RAL 7030 - COIL LENGTH 25 MT TC18 SERIES

Article	Description	UM	Packaging
ECTC181625	Pliable conduit external diameter 16 mm - Coil length 25 mt	PCS	1
ECTC182025	Pliable conduit external diameter 20 mm - Coil length 25 mt	PCS	1
ECTC182525	Pliable conduit external diameter 25 mm - Coil length 25 mt	PCS	1

PLIABLE CONDUIT CLASSIFICATION 3341 - GREY RAL 7030 - COIL LENGTH 10 MT TC18 SERIES

Article	Description	UM	Packaging
ECTC181610	Pliable conduit external diameter 16 mm - Coil length 10 mt	PCS	1
ECTC182010	Pliable conduit external diameter 20 mm - Coil length 10 mt	PCS	1
ECTC182510	Pliable conduit external diameter 25 mm - Coil length 10 mt	PCS	1

PLIABLE CONDUIT CLASSIFICATION 2221 - GREY RAL 7035 TC12 SERIES

Article	Description	UM	Coil length Pallet
ECTC1216	Pliable conduit external diameter 16 mm - 100 mt	MT	100/6400
ECTC121650	Pliable conduit external diameter 16 mm - 50 mt	MT	50/4800
ECTC1220	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECTC122050	Pliable conduit external diameter 20 mm - 50 mt	MT	50/3300
ECTC1225	Pliable conduit external diameter 25 mm - 50 mt	MT	50/2800
ECTC1225100	Pliable conduit external diameter 25 mm - 100 mt	MT	100/3600
ECTC1232	Pliable conduit external diameter 32 mm - 25 mt	MT	25/1500
ECTC123250	Pliable conduit external diameter 32 mm - 50 mt	MT	50/1600
ECTC1240	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1000
ECTC1250	Pliable conduit external diameter 50 mm - 25 mt	MT	25/800

PLIABLE CONDUIT CLASSIFICATION 2221 - GREY RAL 7035 - COIL LENGTH 25 MT TC12 SERIES

Article	Description	UM	Packaging
ECTC121625	Pliable conduit external diameter 16 mm - Coil length 25 mt	PCS	1
ECTC122025	Pliable conduit external diameter 20 mm - Coil length 25 mt	PCS	1
ECTC122525	Pliable conduit external diameter 25 mm - Coil length 25 mt	PCS	1

PLIABLE CONDUIT CLASSIFICATION 2221 - GREY RAL 7035 - COIL LENGTH 10 MT TC12 SERIES

Article	Description	UM	Packaging
ECTC121610	Pliable conduit external diameter 16 mm - Coil length 10 mt	PCS	1
ECTC122010	Pliable conduit external diameter 20 mm - Coil length 10 mt	PCS	1
ECTC122510	Pliable conduit external diameter 25 mm - Coil length 10 mt	PCS	1

Available with draw tape on request. Add the letter "T" to the item code.

PLIABLE POLYPROPYLENE CONDUIT SYSTEMS - HALOGEN FREE



PLIABLE POLYPROPYLENE CONDUIT CLASSIFICATION 2232 - ORANGE TP12 SERIES

Article	Description	UM	Coil length Pallet
ECTP1216	Pliable conduit external diameter 16 mm - 100 mt	MT	100/7000
ECTP1220	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECTP1225	Pliable conduit external diameter 25 mm - 50 mt	MT	50/3000
ECTP1232	Pliable conduit external diameter 32 mm 25 mt	MT	25/1600
ECTP1240	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1000
ECTP1250	Pliable conduit external diameter 50 mm - 25 mt	MT	25/800

PLIABLE POLYPROPYLENE CONDUIT CLASSIFICATION 3422 - ORANGE TP15 SERIES

Article	Description	UM	Coil length Pallet
ECTP1516	Pliable conduit external diameter 16 mm - 100 mt	MT	100/7000
ECTP1520	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECTP1525	Pliable conduit external diameter 25 mm - 50 mt	MT	50/3000
ECTP1532	Pliable conduit external diameter 32 mm 25 mt	MT	25/1600
ECTP1540	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1000
ECTP1550	Pliable conduit external diameter 50 mm - 25 mt	MT	25/800



Available with draw tape on request. Add the letter "T" to the item code


PLIABLE POLYPROPYLENE CONDUIT SYSTEMS - SELF-EXTINGUISHING V2 - LOW EMISSION OF HALOGENS - ICTA



PLIABLE POLYPROPYLENE CONDUIT CLASSIFICATION 3422 - ICTA - GREY - WITH DRAW TAPE ICTA SERIES

Article	Description	UM	Coil length Pallet
ECICTA16T	Pliable conduit external diameter 16 mm - 100 mt	MT	100/7000
ECICTA20T	Pliable conduit external diameter 20 mm - 100 mt	MT	100/5200
ECICTA25T	Pliable conduit external diameter 25 mm - 100 mt	MT	100/3600
ECICTA32T	Pliable conduit external diameter 32 mm - 25 mt	MT	25/1800
ECICTA40T	Pliable conduit external diameter 40 mm - 25 mt	MT	25/1000
ECICTA50T	Pliable conduit external diameter 50 mm - 25 mt	MT	25/800

PLIABLE POLYPROPYLENE CONDUIT CLASSIFICATION 3422 - ICTA - GREY - PRE-CABLED - H07-V-U ICTA SERIES



Article	Description	UM	Coil length Pallet
ECICTA163G15	Pliable conduit external diameter 16 mm - pre-cabled 3 G 1,5	MT	100/4000
ECICTA164G15	Pliable conduit external diameter 16 mm - pre-cabled 4 G 1,5	MT	100/4000
ECICTA165G15	Pliable conduit external diameter 16 mm - pre-cabled 5 G 1,5	MT	100/4000
ECICTA163G25	Pliable conduit external diameter 16 mm - pre-cabled 3 G 2,5	MT	100/4000
ECICTA162X15	Pliable conduit external diameter 16 mm - pre-cabled 2 X 1,5	MT	100/4000
ECICTA16VVT	Pliable conduit external diameter 16 mm - pre-cabled VVT	MT	100/4000

ECICTA203G15	Pliable conduit external diameter 20 mm - pre-cabled 3 G 1,5	MT	100/3200
ECICTA204G15	Pliable conduit external diameter 20 mm - pre-cabled 4 G 1,5	MT	100/3200
ECICTA205G15	Pliable conduit external diameter 20 mm - pre-cabled 5 G 1,5	MT	100/3200
ECICTA203G25	Pliable conduit external diameter 20 mm - pre-cabled 3 G 2,5	MT	100/3200
ECICTA205G25	Pliable conduit external diameter 20 mm - pre-cabled 5 G 2,5	MT	100/3200
ECICTA202X15	Pliable conduit external diameter 20 mm - pre-cabled 2 X 1,5	MT	100/3200

G=with ground conductor, X=without ground conductor, VVT=Telephone cable 1x4x0,6+T
Other wire combinations on request

FLEXIBLE SPIRAL CONDUIT AND ACCESSORIES

FLEXIBLE SPIRAL CONDUIT CLASSIFICATION 2311 - GREY RAL7035 GFE SERIES

Article	Description	UM	Coil length Pallet
ECGFE08	Flexible spiral conduit internal diameter 8 - external diameter 12,4 mm	MT	30/5400
ECGFE10	Flexible spiral conduit internal diameter 10 - external diameter 14,6 mm	MT	30/5400
ECGFE12	Flexible spiral conduit internal diameter 12 - external diameter 16,2 mm	MT	30/4590
ECGFE14	Flexible spiral conduit internal diameter 14 - external diameter 18,2 mm	MT	30/4050
ECGFE16	Flexible spiral conduit internal diameter 16 - external diameter 20,2 mm	MT	30/4050
ECGFE20	Flexible spiral conduit internal diameter 20 - external diameter 24,2 mm	MT	30/3360
ECGFE22	Flexible spiral conduit internal diameter 22 - external diameter 26,3 mm	MT	30/1800
ECGFE25	Flexible spiral conduit internal diameter 25 - external diameter 29,6 mm	MT	30/1800
ECGFE28	Flexible spiral conduit internal diameter 28 - external diameter 33,0 mm	MT	30/1650
ECGFE32	Flexible spiral conduit internal diameter 32 - external diameter 37,2 mm	MT	30/1440
ECGFE35	Flexible spiral conduit internal diameter 35 - external diameter 40,2 mm	MT	30/1200
ECGFE40	Flexible spiral conduit internal diameter 40 - external diameter 45,3 mm	MT	30/1200
ECGFE50	Flexible spiral conduit internal diameter 50 - external diameter 56,0 mm	MT	30/600
ECGFE60	Flexible spiral conduit internal diameter 60 - external diameter 66,4 mm	MT	30

FLEXIBLE SPIRAL CONDUIT CLASSIFICATION 2311 - BLACK GFE SERIES

Article	Description	UM	Coil length Pallet
ECGFE08N	Flexible spiral conduit internal diameter 8 - external diameter 12,4 mm	MT	30/5400
ECGFE10N	Flexible spiral conduit internal diameter 10 - external diameter 14,6 mm	MT	30/5400
ECGFE12N	Flexible spiral conduit internal diameter 12 - external diameter 16,2 mm	MT	30/4590
ECGFE14N	Flexible spiral conduit internal diameter 14 - external diameter 18,2 mm	MT	30/4050
ECGFE16N	Flexible spiral conduit internal diameter 16 - external diameter 20,2 mm	MT	30/4050
ECGFE20N	Flexible spiral conduit internal diameter 20 - external diameter 24,2 mm	MT	30/3360
ECGFE22N	Flexible spiral conduit internal diameter 22 - external diameter 26,3 mm	MT	30/1800
ECGFE25N	Flexible spiral conduit internal diameter 25 - external diameter 29,6 mm	MT	30/1800
ECGFE28N	Flexible spiral conduit internal diameter 28 - external diameter 33,0 mm	MT	30/1650
ECGFE32N	Flexible spiral conduit internal diameter 32 - external diameter 37,2 mm	MT	30/1440
ECGFE35N	Flexible spiral conduit internal diameter 35 - external diameter 40,2 mm	MT	30/1200
ECGFE40N	Flexible spiral conduit internal diameter 40 - external diameter 45,3 mm	MT	30/1200
ECGFE50N	Flexible spiral conduit internal diameter 50 - external diameter 56,0 mm	MT	30/600
ECGFE60N	Flexible spiral conduit internal diameter 60 - external diameter 66,4 mm	MT	30